

**State of California
AIR RESOURCES BOARD**

EXECUTIVE ORDER RM-17-018

Spark-Ignition Marine Watercraft Evaporative Emissions System Components

**MPI Products, Inc.
Fuel Hose**

WHEREAS, pursuant to California Health and Safety Code, sections 39600, 39601, and 43013, the California Air Resources Board (ARB) has established a certification process for evaporative emissions system components designed to control gasoline emissions from spark-ignition marine watercraft (SIMW), as described in California Code of Regulations, title 13, section 2856;

WHEREAS, pursuant to California Health and Safety Code, section 43013, ARB has established criteria and test procedures for determining the compliance of evaporative emissions system components with the design requirements in Cal. Code Regs., title 13, section 2855;

WHEREAS, pursuant to Cal. Code Regs., title 13, section 2856, ARB Executive Officer may issue an executive order (EO) if he or she determines that SIMW evaporative emissions system components conform to the applicable performance requirements set forth in Cal. Code Regs., title 13, section 2855; and

WHEREAS, pursuant to California Health and Safety Code, sections 39515 and 39516, ARB Executive Officer issued EO G-17-006 delegating to the Chief of ARB Monitoring and Laboratory Division (MLD) the authority to certify SIMW evaporative system components.

NOW, THEREFORE, I, Michael T. Benjamin, Chief of MLD, find that the MPI fuel hose representative model, PERM-GUARD MARINE FUEL Series 360, conforms with the 10 grams/meter²/day permeation performance requirements set forth in Cal. Code Regs., title 13, section 2855, when tested at a constant temperature of 23°C pursuant to test procedure TP-1504 using an approved test fuel of CE10.

IT IS ORDERED AND RESOLVED that the MPI fuel hose models listed in Table 1 with 0.0065 in +/- 0.0025 in minimum barrier thickness are certified for use in SIMW introduced into commerce in California.

Table 1

Models and Specifications for MPI fuel hose			
Component Type Model Number	Nominal Inside Diameters (in)	Minimum Nylon Barrier Wall Thickness (in)	Test Emission Rate (grams/meter ² /day)
PERM-GUARD MARINE FUEL Series 360	0.25 +/- 0.016 or greater	0.0065 +/- 0.0025	5

IT IS FURTHER ORDERED that MPI shall provide a warranty to watercraft manufacturers purchasing any of the MPI fuel hose models listed in Table 1. The warranty must conform to the requirements of Cal. Code Regs., title 13, section 2861.

IT IS FURTHER ORDERED that the certified MPI fuel hose models listed in Table 1 shall be installed in accordance with the manufacturer's installation and use instructions for the MPI fuel hose models. A copy of this EO and fuel hose installation and use instructions shall be provided to original watercraft manufacturers purchasing MPI fuel hose models listed in Table 1 for installation on spark-ignition marine engines and watercraft introduced into commerce in California.

IT IS FURTHER ORDERED that the MPI fuel hose models listed in Table 1 and introduced into commerce in California shall be clearly identified by a permanent identification that includes part number and RM-17-018.

IT IS FURTHER ORDERED that any alteration to the MPI fuel hose models listed in Table 1 and certified hereby is prohibited. Any alteration or modification of the designs approved by this EO will require the manufacturer to apply for a new EO.

IT IS FURTHER ORDERED that the MPI fuel hose models as listed in Table 1 shall be compatible with fuels in common use in California at the time of certification, and any modifications to comply with future California fuel requirements shall be approved in writing by the Executive Officer or Executive Officer's delegate.

IT IS FURTHER ORDERED that the component certification of the MPI fuel hose models listed in Table 1 can be referenced in certification applications for spark-ignition marine engines and watercraft that use spark-ignition marine engines unless the Executive Officer finds that the MPI fuel hose models listed in Table 1 no longer meet the performance requirements set forth in Cal. Code Regs., title 13, section 2855, when tested pursuant to Cal. Code Regs., title 13, section 2864.

Executed at Sacramento, California, this 20th day of October 2017.

A handwritten signature in blue ink, reading "Michael T. Benjamin". The signature is written in a cursive style and is positioned above a horizontal line.

Dr. Michael T. Benjamin, Chief
Monitoring and Laboratory Division